



# DR RADIAL SEALS




- Other profiles and sizes than listed can be supplied on request.
- All the types can be supplied, by request, in the split model, with 90 degree cut.
- The addition of the letter "S" (DR10S + A10S) indicates that the seal has a dust lip profile.
- A10 + A10S are not available in split.



| Type  | d      | D      | H     |
|-------|--------|--------|-------|
| DR10  | 25,40  | 47,60  | 9,52  |
| DR10  | 60     | 80     | 10    |
| DR10  | 69,85  | 85,72  | 7,92  |
| DR10  | 70     | 102    | 12,50 |
| DR10S | 75     | 107    | 12,50 |
| DR10  | 80     | 100    | 8     |
| DR10  | 80     | 112    | 12,50 |
| DR10  | 88,70  | 114,30 | 12,70 |
| DR10  | 90     | 110    | 12    |
| DR10  | 90     | 122    | 12,50 |
| DR10  | 101,70 | 127    | 12,70 |
| DR10S | 105    | 145    | 16    |
| DR10  | 110    | 130    | 12    |
| DR10  | 110    | 140    | 13    |
| DR10  | 112,70 | 138,80 | 14,80 |
| DR10  | 120    | 150    | 13    |
| DR10  | 123,80 | 149,20 | 12,70 |
| DR10  | 125    | 157    | 12,50 |
| DR10  | 127    | 165    | 16    |
| DR10  | 132,20 | 165,20 | 15    |
| DR10  | 140    | 170    | 15    |
| DR10  | 145    | 180    | 14    |
| DR10  | 146,05 | 177,80 | 15,87 |
| DR10  | 150    | 180    | 12    |
| DR10  | 152,40 | 181    | 16    |
| DR10  | 152,40 | 190,50 | 15,87 |
| DR10  | 160    | 190    | 15    |
| DR10  | 160    | 200    | 16    |
| DR12  | 165    | 195    | 15    |
| DR10  | 170    | 210    | 16    |
| DR10  | 170    | 211    | 16    |
| DR10  | 177,80 | 209,55 | 19,05 |
| A10   | 175    | 205    | 15    |
| DR10  | 180    | 200    | 15    |
| DR10  | 180    | 222    | 16    |
| DR10  | 190,50 | 215,90 | 15,87 |
| DR10  | 200    | 250    | 18    |
| DR10  | 210    | 250    | 16    |
| DR10  | 215    | 248    | 15    |
| DR12  | 215,90 | 247,65 | 20,62 |
| DR10  | 220    | 260    | 16    |
| DR12  | 220    | 260    | 18    |
| DR10  | 226    | 276    | 22,30 |
| DR10  | 230    | 265    | 18    |
| DR10  | 235    | 275    | 20    |
| A10   | 240    | 270    | 15    |
| DR10  | 240    | 275    | 18    |
| DR12  | 240    | 280    | 18    |


| Type | d      | D      | h     |
|------|--------|--------|-------|
| DR10 | 244,47 | 295,53 | 25,40 |
| DR10 | 250    | 285    | 18    |
| DR10 | 250    | 290    | 16,50 |
| DR10 | 260    | 300    | 18    |
| DR10 | 260    | 304    | 20    |
| DR12 | 270    | 310    | 18    |
| DR10 | 280    | 320    | 16    |
| DR10 | 280    | 320    | 18    |
| DR12 | 280    | 320    | 18    |
| DR10 | 280    | 320    | 20    |
| DR10 | 280    | 324    | 20    |
| DR10 | 280    | 350    | 16    |
| DR12 | 285    | 325    | 18    |
| DR10 | 286    | 336,55 | 15    |
| DR10 | 290    | 330    | 20    |
| DR10 | 290    | 334    | 20    |
| DR10 | 292    | 330    | 15,87 |
| DR10 | 300    | 340    | 16,50 |
| DR12 | 300    | 340    | 18    |
| DR10 | 300    | 340    | 20    |
| DR10 | 300    | 344    | 20    |
| DR12 | 300    | 344    | 20    |
| A10  | 300    | 344    | 20    |
| DR10 | 310    | 345    | 18    |
| DR12 | 310    | 354    | 20    |
| DR10 | 314    | 355    | 20    |
| DR10 | 316    | 360    | 20    |
| DR10 | 317,50 | 355,60 | 19,05 |
| DR10 | 320    | 350    | 15,40 |
| DR10 | 320    | 360    | 18    |
| DR10 | 320    | 360    | 20    |
| DR11 | 320    | 364    | 18    |
| DR10 | 323,85 | 374,65 | 25,40 |
| DR12 | 325    | 365    | 16    |
| DR10 | 328    | 372    | 20,20 |
| DR10 | 330    | 370    | 20    |
| DR10 | 330    | 380,80 | 20,62 |
| DR10 | 335    | 373    | 19    |
| DR10 | 340    | 380    | 20    |
| DR10 | 340    | 384    | 20    |
| DR10 | 342,90 | 381    | 17,45 |
| DR10 | 342,90 | 381    | 19,05 |
| DR12 | 350    | 390    | 18    |
| DR10 | 350    | 390    | 20    |
| DR10 | 350    | 394    | 20    |
| DR10 | 360    | 404    | 20    |
| DR10 | 360    | 410    | 20    |
| DR10 | 365    | 409,40 | 19,05 |

- Other profiles and sizes than listed can be supplied on request.
- All the types can be supplied, by request, in the split model, with 90 degree cut.
- The addition of the letter “S” (DR10S + A10S) indicates that the seal has a dust lip profile.
- A10 + A10S are not available in split.



| Type  | d      | D      | h     |
|-------|--------|--------|-------|
| DR10  | 370    | 410    | 20    |
| DR12  | 374,65 | 419,10 | 22,22 |
| DR10  | 380    | 420    | 20    |
| DR12  | 380    | 424    | 20    |
| DR10  | 380    | 430,80 | 20,62 |
| A10   | 385    | 430    | 25    |
| DR10  | 387    | 431    | 22,50 |
| DR10  | 387    | 438    | 25,40 |
| DR10  | 387,35 | 438,15 | 22,22 |
| DR12  | 390    | 430    | 18    |
| DR10  | 390    | 430    | 20    |
| DR12  | 400    | 440    | 18    |
| DR10  | 400    | 440    | 20    |
| DR12  | 400    | 440    | 22    |
| DR10  | 400    | 444    | 20    |
| DR10  | 400    | 450    | 22    |
| DR12  | 400    | 450    | 22    |
| DR10  | 406,20 | 444,50 | 17,45 |
| DR10  | 406,40 | 457,20 | 19,05 |
| DR10  | 406,40 | 457,20 | 20,70 |
| DR10  | 406,40 | 457,20 | 23    |
| DR12  | 419,10 | 457,20 | 19,05 |
| DR12  | 420    | 470    | 22    |
| DR10  | 420    | 470    | 25    |
| DR12  | 430    | 480    | 22    |
| DR10  | 430    | 480    | 25    |
| DR10  | 440    | 480    | 26    |
| DR10  | 440    | 490    | 20    |
| DR10S | 440    | 490    | 22    |
| DR10  | 440    | 490    | 25    |
| A10   | 440    | 490    | 25    |
| DR10  | 450    | 494    | 20    |
| DR10  | 450    | 500    | 22    |
| DR10S | 450    | 500    | 22    |
| A10   | 450    | 500    | 25    |
| DR12  | 460    | 510    | 22    |
| DR10  | 460    | 510    | 25    |
| DR10  | 470    | 520    | 25    |
| DR10  | 480    | 520    | 20    |
| DR10  | 480    | 530    | 22    |
| DR12  | 480    | 530    | 22    |
| DR10  | 480    | 550    | 25    |
| DR10  | 495    | 545    | 22    |
| DR10  | 500    | 540    | 20    |
| DR10S | 500    | 540    | 22    |
| DR12  | 520    | 564    | 20    |
| DR12  | 520    | 570    | 22    |
| DR10  | 525    | 575    | 22    |

| Type | d      | D      | h     |
|------|--------|--------|-------|
| DR10 | 530    | 580    | 22    |
| DR12 | 530    | 580    | 22    |
| DR10 | 530    | 580    | 22,30 |
| DR10 | 530    | 580    | 25    |
| DR10 | 535    | 585    | 22    |
| DR10 | 540    | 590    | 30    |
| DR10 | 550    | 600    | 22    |
| DR12 | 550    | 600    | 22    |
| DR10 | 558,80 | 609,60 | 22,22 |
| DR10 | 560    | 610    | 20    |
| DR10 | 560    | 610    | 22,30 |
| DR10 | 575    | 625    | 22    |
| A10  | 584,20 | 622,30 | 19,05 |
| DR12 | 600    | 640    | 18    |
| DR10 | 600    | 650    | 22    |
| DR12 | 614    | 658    | 20    |
| DR12 | 620    | 670    | 22    |
| DR10 | 635    | 705    | 30    |
| DR10 | 650    | 690    | 18    |
| DR10 | 660    | 724    | 25    |
| DR10 | 685    | 749    | 25    |
| DR10 | 700    | 760    | 30    |
| DR12 | 700    | 764    | 25    |
| DR10 | 710    | 770    | 30    |
| DR12 | 724    | 775    | 22    |
| DR10 | 736    | 800    | 25    |
| DR12 | 740    | 780    | 16,50 |
| DR10 | 750    | 810    | 30    |
| DR10 | 750    | 814    | 25    |
| DR10 | 760    | 820    | 30    |
| DR10 | 780    | 844    | 25    |
| DR12 | 790    | 854    | 25    |
| DR10 | 793,75 | 844,55 | 19,05 |
| DR10 | 800    | 860    | 30    |
| DR11 | 800    | 864    | 21,60 |
| DR12 | 800    | 864    | 25    |
| DR10 | 810    | 874    | 25    |
| DR10 | 825,50 | 876,30 | 22,22 |
| DR10 | 840    | 904    | 25    |
| DR10 | 850    | 910    | 30    |
| DR12 | 890    | 930    | 18    |
| DR12 | 901,70 | 952,50 | 22,22 |
| DR10 | 933,40 | 984,23 | 22,22 |
| DR10 | 950    | 1000   | 25    |
| DR10 | 950    | 1010   | 30    |
| DR10 | 965,20 | 1016   | 22,22 |
| DR12 | 985    | 1045   | 25    |



005036VER2

**M SEALS**

### Denmark

M Seals A/S  
Bybjergvej 13  
DK-3060 Espergærde  
Tel.: +45 49 13 02 05  
Fax: +45 49 13 01 41  
sales@m-seals.dk  
www.m-seals.dk

### Sweden

M Seals AB  
Montörgatan 7  
SE-302 60 Halmstad  
Tel.: +46 (0)35 15 89 40  
Fax: +46 (0)35 12 19 47  
sales@m-seals.se  
www.m-seals.se

### China

M Seals China  
Room 2508, Starlife Building  
Wangjing West  
Chaoyang District  
Beijing 100102, China  
Tel.: +86 10 8453 7121  
Fax: +86 10 6475 0529  
msealschina@gmail.com  
www.m-seals.com